

Rundsling - EN 1492-2

Rundsling af polyester i dobbelt pose.

Vi lagerfører et meget stort program af rundsling i standard længder.

Rundsling fremstilles også med beskyttelse, og med tilbehør monteret direkte i rundslinget eller samlet med rundslingkoblinger. Endvidere kan vi levere et stort udvalg af beskyttelse til rundsling, f.eks. Secutex®, brandslange eller Flexoclip.

Vi fremstiller også rundsling efter dine ønsker og behov.

Rundsling kan leveres fra 1 ton til 100 tons.

Powertex rundsling leveres som standard individuelt pakket, mærket og med certifikat.

Round sling - EN 1492-2

Round slings of polyester - double sleeve.

We are stocking a large number of round slings in standard lengths.


Round slings are also manufactured with protections and with accessories directly mounted into the round slings or with round sling connectors. Furthermore we are able to deliver a wide range of protections for webbings, for example Secutex®, Fire hose or Flexoclip.

We also manufacture round slings on request.

Round slings can be delivered from 1 ton to 100 ton.

Powertex round slings are delivered standard individually packed, marked and with certificate.

POWERTEX®



Art. No.	SWL kg	Colour
06-100100	1.000	Violet
06-100200	2.000	Green
06-100300	3.000	Yellow
06-100400	4.000	Grey
06-100500	5.000	Red
06-100800	8.000	Blue
06-101000	10.000	Orange
06-101200	12.000	Orange
06-101500	15.000	Orange
06-102000	20.000	Orange
06-102500	25.000	Orange

Sidste 2 cifre i varenr. angiver antal meter i omkreds
Last 2 digits of article numbers indicate metres round.


Rundsling kan også leveres som slings
Can also be delivered as slings



Brandslange



Powertex PU



Flexoclip



Kantbeskyttelse



Belastningstabel

Load diagram

Safety factor 7:1		1-Part	U-lift	Laced	Basket hitch		2-leg slings		3- and 4 leg slings	
	Angle of inclination				0 - 45°	45° - 60°	0 - 45°	45° - 60°	0 - 45°	45° - 60°
Loadfactor		1	2	0,8	1,4	1	1,4	1	2,1	1,5
Colour	WLL kg									
Violet	1.000	2.000	800	1.400	1.000	1.400	1.000	2.100	1.500	
Green	2.000	4.000	1.600	2.800	2.000	2.800	2.000	4.200	3.000	
Yellow	3.000	6.000	2.400	4.200	3.000	4.200	3.000	6.300	4.500	
Grey	4.000	8.000	3.200	5.600	4.000	5.600	4.000	8.400	6.000	
Red	5.000	10.000	4.000	7.000	5.000	7.000	5.000	10.500	7.500	
Brown	6.000	12.000	4.800	8.400	6.000	8.400	6.000	12.000	9.000	
Blue	8.000	16.000	6.400	11.200	8.000	11.200	8.000	16.800	12.000	

Der tages forbehold for trykfejl og udgåede varer / Specifications and products are subject to change

PU beskyttelse

POWERTEX®

PU protection

Løftestropper, rundsling, tov etc. kan beskyttes mod skader under løft af emner med skarpe kanter med POWERTEX PU beskyttelseskapper. POWERTEX PU beskyttelseskapper er fremstillet af polyurethan elastomer; et helt unikt materiale med en ekstrem modstandsdygtighed overfor ridser og snit, således at man sikrer sig optimal beskyttelse af båndmaterialet. Et godt greb på glatte overflader forhindrer ligeledes, at byrden slipper. En stofbeklædning sikrer, at stroppen glider let gennem posen. På denne måde undgår man, at materialet trykkes/presses unødigt. Til mere krævende opgaver kan poserne monteres med hårde skindbeklædninger (f.eks. til transport af coils). Herudover tilbyder vi Dyneema beskyttelsesposer for ekstreme belastninger.

POWERTEX beskyttelse er testet under de hårdeste betingelser.

De forlænger i høj grad levetiden for slings og løftesystemer.


- Høj strukturel stivhed.
- Høj slidstyrke.
- Ekstremt modstandsdygtigt overfor snit.
- Meget god elasticitet.
- God kemisk modstandskraft.
- Ingen aldring.
- Den bedste beskyttelse af båndstropper, surringer og rundsling.

Lifting belts, round slings, ropes etc. can be protected from damage whilst lifting sharp edged loads with POWERTEX PU protective sleeves. POWERTEX PU protective sleeves are made out of Polyurethane Elastomer, a material unique in its extreme resistance to abrasion and cutting, thus offering optimal protection of the webbing material can be ensured. High levels of grip on flat surfaces also prevent load slippage. A textile lining ensures that the inserted belt can glide easily through the sleeve. In this way an overstressing of the material can be avoided. The sleeves can be fitted with hardy fleece inserts for more demanding tasks (such as coil transport).

These sleeves have proved themselves under the hardest conditions.

They prolong lashing and lifting system life by a high factor.

- High structural rigidity.
- High resistance to abrasion.
- Extremely cut resistant.
- Very good elasticity.
- Good chemical resistance.
- No ageing.
- The best protection for webbing slings, lashings and round slings.



Description	For 2 layer webbings	For 4 layer webbings	For lashings	For roundslings 1 sleeve/rope	For roundslings 1 sleeve for both ropes	Weight per m single sided	Weight per m double sided
a / i / h / w							
45/35/ 8/3			35 mm				
50/40/10/5	30 mm					0,6	1,00
50/40/20/5		30 mm					
60/50/12/5	40 mm					0,75	1,2
66/60/ 6/3			60 mm			0,45	0,7
70/60/12/5	50 mm					0,8	1,35
80/70/12/5	60 mm					0,9	1,5
80/70/17/5		(60 mm)		2.000 kg	1.000 kg		
80/70/24/5		60 mm					
95/85/12/5	75 mm		75 mm			1,00	1,7
95/85/24/5		75 mm		8.000 kg	2.000 kg		
110/100/12/5	90 mm					1,05	1,75
110/100/17/5		(90 mm)			3.000 kg		
110/100/24/5		90 mm					
120/110/12/5	100 mm		100 mm			1,25	2,05
130/120/12/5				10.000 kg		1,3	2,2
130/120/36/5							
135/125/17/5		(120 mm)			4.000 kg		
145/135/12/5	120 mm					1,45	2,4
145/135/24/5		120 mm					
160/150/12/5						1,6	2,85
160/150/36/5				15.000 kg			
160/150/48/5				20.000 kg			
170/160/12/5	150 mm					1,7	2,8
170/160/17/5		(150 mm)			6.000 kg		
170/160/24/5		150 mm					
190/180/12/5						1,85	3,05
200/190/12/5	180 mm					1,9	3,2
200/190/17/5		(180 mm)			8.000 kg		
200/190/24/5		180 mm					
230/220/12/5	200 mm					2,2	3,65
230/220/36/5					10.000 kg		
250/240/20/8	(240 mm)	(240 mm)				3,8	6,3
290/280/12/8	(270 mm)					4,25	7,1
290/280/30/8		(270 mm)					
330/320/15/8	300 mm				20.000 kg	4,85	8,05
330/320/30/8		300 mm					
330/320/45/8							

Ultraprotect beskyttelse

- Justerbar til alle løfteslings.
- Beskyttelse mod ekstrem slid (let version) og skarpe kanter (tung version).
- Fremstillet af 100% Dyneema®.
- Meget let i forhold til traditionelle beskyttelsessystemer.
- Fleksibel i brug.
- Vil altid følge lastens form.
- Rød markeringstråd indvendig som slidindikator.
- Højkvalitetsvelcro for tæt pasform.
- Fås i forskellige størrelser.
- Lang levetid.



Ultraprotect protection

- Adjustable to any lifting sling.
- Protection against extreme abrasion (light version) and sharp edges (heavy version).
- Made of 100% Dyneema®.
- Very light compared to traditional protection systems.
- Flexible in use.
- Will always follow the shape of the load.
- Red marker yarn inside as wear indicators.
- High quality velcro for solid fit.
- Available in various sizes.
- Long lifespan.



Hjørnebeskyttelse
Corner protection



Kantbeskyttelse
Sling protection


Fås i let og kraftig kvalitet.
Available in light and heavy duty.

Der tages forbehold for trykfejl og udgåede varer / Specifications and products are subject to change

Rundslingsssamleled Round sling connecting link

Rundslingsssamleled Connex/CARW specielt tilpasset rundsling.
Skånsom anghugning af rundslinget på grund af dens bredde. Rundslingsssamleled leveres komplet med bolt og rundslås bøsning.


Link for round slings mounted in one Connex half. Reduced risk of damage thanks to wide surface. Supplied complete with Connex half, load pin and collar.



Connex

Art.No.	WLL kg	Dimensions mm					Weight kg/piece
		A	B	D	K	W	
06-3010902	2.000	17	21	9	64	40	0,3
06-3010903	3.200	23	31	11	81	37	0,5
06-3010905	5.300	26	33	17	90	53	1,1

CARW



Art.No.	Code	WLL kg	Dimensions mm							Weight kg/piece
			a	e	c	d	b	s	g	
06-3011002	CARW 8	2.500	29	66	12	10	65	18	18	0,40
06-3011003	CARW 10	4.000	40	81	15	13	82	21	24	0,55
06-3011005	CARW 13	6.700	50	104	20	17	100	28	28	1,20
06-3011010	CARW 16	10.000	47	113	21	21	110	40	33	2,00
06-3011019	CARW 22	19.000	109	178	29	27	215	59	48	6,50

Joker krog




Den udskiftelige krog til alle tekstiler

Lav rundsling og løftebånd om til det perfekte løfteredskab på få sekunder.

Let at håndtere.
Farven er den samme som på tekstil.
Løftekapacitet påtrykt krogen.
Beskytter rundsling og løftebånd utrolig godt, da krogen er formstøbt efter dem.
Lang levetid.
Krog med sikkerhedspal.

Joker hook



The changeable hook for all textile slings

Make your round slings and webbing slings to the perfect lifting tool in few seconds.

Easy to handle.
Colour is the same as textiles.
Lifting capacity is stamped on the hook.
Protects round slings and webbing slings extremely well, because the shape of the hook is forged on behalf of them.
Long lifetime.
Hook with safety latch.



Art.No.	Type	WLL kg	Dimensions mm							Weight kg/piece
			A	B1	B2	F	G	H	L	
06-3011101	ASH 1t	1.000	84	27	32	30	20	25	112	0,6
06-3011102	ASH 2t	2.000	110	33	42	36	20	25	134	1,7
06-3011103	ASH 3t	3.000	132	30	50	46	22	28	145	2,5
06-3011104	ASH 4t	4.000	130	49	60	55	31	35	180	3,2
06-3011105	ASH 5t	5.000	130	49	60	55	31	35	180	3,3

Specifications and products are subject to change / Der tages forbehold for trykfejl og udgåede varer