



Coupling Link JDT type TBS

Product information

Coupling link for assembling chainslings.

Marking: According to standard

Temperature range: -40°C up to +400°C

Finish: Red painted.

Standard: EN 1677-1

Safety factor: 4:1

Grade: 8

Part code	Code	WLL ton	a mm	b mm mm	c mm	dmm mm	e mm mm	g mm mm	t mm	Weight kg	Delivery time
401200110130	TBS 6	1.12	11	19	40	8	17	17	45	0.08	2
401200200130	TBS 8	2	14	22	53	11	22	21	59	0.17	10
401200320130	TBS 10	3.15	18	29	68	12	26	28	70	0.3	10
401200530130	TBS 13	5.3	23	33	77	16	32	30	87	0.6	2
401200800130	TBS 16	8	27	40	94	22	39	35	103	1.18	2
401201000130	TBS 18	10	37	51	120	23	48	48	125	1.58	2
401201250130	TBS 20	12.5	37	50	112	24	47	45	125	2	2
401201500130	TBS 22	15	40	54	120	28	52	48	133	2.64	10
401202120130	TBS 26	21.2	50	70	161	30	65	61	168	5.04	10
401203150130	TBS 32	31.5	55	79	186	34	73	71	190	6.84	10
401204000130	TBS 36	40	70	97	227	46	84	85	235	15.6	10
401205000130	TBS 40	50	70	97	227	46	84	85	235	15.6	10

Blueprint

