



## Turnbuckle Jaw/Jaw Pin Green Pin® G-6313

### Product information

The Green Pin® JJ Turnbuckle CP is a turnbuckle with jaw-jaw end-fittings and cotter pins, generally to ASTM F1145-92. One of the unique features of Green Pin® Turnbuckles such as this one is that they can be used for both lifting and lashing. Galvanization of the Green Pin® JJ Turnbuckle CP ensures its long-term durability. The turnbuckle is available in a range with a diameter thread of 3/4" (take up of 6") up to 2 3/4" (take up of 24").

Certification on request: 2.1, 2.2, 3.1, MTCa

**Standard:** Generally to ASTM F1145-92 formerly U.S. Federal Specification FF-T-791b

**Material:** Drop forged high tensile steel SAE 1035 or 1045

**Marking:** CE-marked

**Temperature range:** -20°C up to +200°C

**Finish:** Hot dipped galvanized

**Safety factor:** 5:1

| Part code    | Diameter mm | WLL ton | Thread Inch | Take up inch | a "   | b mm  | c mm  | d mm  | e mm | f mm | g mm | h mm | i mm | Weight kg | Delivery time |
|--------------|-------------|---------|-------------|--------------|-------|-------|-------|-------|------|------|------|------|------|-----------|---------------|
| 422100240260 | 41          | 2.36    | 3/4         | 6            | 3/4   | 369   | 487   | 439   | 24   | 38   | 16   | 16   | 41   | 2.59      | 10            |
| 422100240265 | 41          | 2.36    | 3/4         | 9            | 3/4   | 444   | 640   | 514   | 24   | 38   | 16   | 16   | 41   | 3.13      | 2             |
| 422100240266 | 41          | 2.36    | 3/4         | 12           | 3/4   | 520   | 792   | 590   | 24   | 38   | 16   | 16   | 41   | 3.42      | 10            |
| 422100240267 | 41          | 2.36    | 3/4         | 18           | 3/4   | 670   | 1,096 | 740   | 24   | 42   | 16   | 16   | 41   | 4.51      | 10            |
| 422100330260 | 48          | 3.27    | 7/8         | 12           | 7/8   | 561   | 826   | 638   | 27   | 42   | 19   | 19   | 48   | 4.93      | 10            |
| 422100330265 | 48          | 3.27    | 7/8         | 18           | 7/8   | 713   | 1,132 | 790   | 27   | 42   | 19   | 19   | 48   | 6.41      | 10            |
| 422100450265 | 54          | 4.54    | 1           | 6            | 1     | 447   | 554   | 532   | 31   | 93   | 22   | 20   | 54   | 5.18      | 10            |
| 422100450266 | 54          | 4.54    | 1           | 12           | 1     | 598   | 859   | 683   | 31   | 93   | 22   | 20   | 54   | 6.43      | 10            |
| 422100450267 | 54          | 4.54    | 1           | 18           | 1     | 750   | 1,168 | 835   | 31   | 93   | 22   | 20   | 54   | 8.4       | 10            |
| 422100450260 | 54          | 4.54    | 1           | 24           | 1     | 903   | 1,470 | 988   | 31   | 50   | 22   | 20   | 54   | 8.9       | 10            |
| 422100690265 | 68          | 6.9     | 1 1/4       | 12           | 1 1/4 | 641   | 914   | 748   | 44   | 71   | 29   | 26   | 68   | 11.2      | 10            |
| 422100690266 | 68          | 6.9     | 1 1/4       | 18           | 1 1/4 | 803   | 1,228 | 910   | 44   | 71   | 29   | 26   | 68   | 13.6      | 10            |
| 422100690260 | 68          | 6.9     | 1 1/4       | 24           | 1 1/4 | 962   | 1,539 | 1,069 | 44   | 71   | 29   | 26   | 68   | 15        | 10            |
| 422100970260 | 80          | 9.71    | 1 1/2       | 12           | 1 1/2 | 675   | 942   | 806   | 52   | 71   | 35   | 28   | 80   | 17        | 10            |
| 422100970265 | 80          | 9.71    | 1 1/2       | 18           | 1 1/2 | 825   | 1,244 | 956   | 52   | 76   | 35   | 28   | 80   | 19.3      | 10            |
| 422100970266 | 80          | 9.71    | 1 1/2       | 24           | 1 1/2 | 980   | 1,551 | 1,111 | 52   | 76   | 35   | 28   | 80   | 20.7      | 10            |
| 422101270260 | 90          | 12.7    | 1 3/4       | 18           | 1 3/4 | 938   | 1,316 | 1,092 | 60   | 86   | 41   | 33   | 90   | 25        | 10            |
| 422101270265 | 90          | 12.7    | 1 3/4       | 24           | 1 3/4 | 1,089 | 1,621 | 1,243 | 60   | 86   | 41   | 33   | 90   | 28.7      | 10            |
| 422101680260 | 107         | 16.8    | 2           | 24           | 2     | 1,151 | 1,671 | 1,338 | 63   | 93   | 51   | 40   | 107  | 45.4      | 10            |
| 422102720260 | 143         | 27.2    | 2 1/2       | 24           | 2 1/2 | 1,255 | 1,831 | 1,480 | 75   | 114  | 57   | 41   | 143  | 88        | 10            |
| 422103400260 | 158         | 34      | 2 3/4       | 24           | 2 3/4 | 1,348 | 1,882 | 1,604 | 90   | 110  | 70   | 41   | 158  | 98        | 10            |

# Blueprint

