



## Heavy duty Thimble POWERTEX PT3090HD

### Product information

This forged heavy duty thimble is intended for heavy-duty lifting steel wire rope slings and end terminations. Wire rope size 6 – 44 mm.

**Material:** Forged steel

**Marking:** According to standard, PX (Powertex), Recommended rope diameter, HD (model)

**Finish:** 6 mm electrogalvanized, 8 mm and above HDG (Hot dip galvanized). Chrome 6 free.

**Standard:** DIN 3090

Part code	Code	Rope Ø range mm	a mm	b mm	c mm	h mm	p mm	s mm	Weight kg	Delivery time
123100600440	PT3090HD-6	6	7	10	15	42	7.1	2.6	0.03	2
123100800440	PT3090HD-8	8	9	13	20	56	10	4	0.08	2
123101000440	PT3090HD-10	10	11	15	25	70	14	5	0.12	2
123101200440	PT3090HD-12	12	13	19	30	85	15	6	0.2	2
123101400440	PT3090HD-14	14	16	22	35	102	16	8	0.26	2
123101600440	PT3090HD-16	16	18	25	40	113	18	8	0.36	2
123101800440	PT3090HD-18	18	20	27	45	127	21	9	0.54	2
123102000440	PT3090HD-20	20	22	30	50	153	23	10	0.7	2
123102200440	PT3090HD-22	22	24	33	55	165	24	10	0.8	2
123102400440	PT3090HD-24	24	26	35	60	181	26	10	0.9	2
123102600440	PT3090HD-26	26	29	45	65	193	30	12	1.58	2
123102800440	PT3090HD-28	28	31	48	70	223	32	12	1.77	2
123103200440	PT3090HD-32	32	35	50	80	247	38	15	2.42	2
123103600440	PT3090HD-36	36	40	55	90	281	40	15	3.77	2
123104000440	PT3090HD-40	40	44	60	100	305	46	20	7	2
123104400440	PT3090HD-44	44	48	68	110	329	52	20	8	2

Blueprint

