

Stainless Eye Terminal

Product information



Eye terminals for pressing or swaging onto stainless steel wire rope. They are mainly used as an attachment to rigging screws or forks.

Material: Stainless steel AISI 316.

Marking: logo, wire size and swage depth.

Temperature range: -50°C to +100°C and briefly up to +200°C

Finish: High polished.

Part code	Rope Ø range mm	MBL ton	A mm	B mm	D1mm mm	D2mm mm	L1mm mm	L2mm mm	Weight kg/100pc	Delivery time
1207190002	2	1.2	3	12	5,5	5,5	41	24	0.9	10
1207190025	2.5	1	3	12	5,5	5,5	44	27	0.8	10
1207190003	3	1.3	4	14	6,35	6,5	60	38	1.3	10
1207190004	4	1.7	5	17	7,5	8,5	67	45	2.3	2
1207190005	5	2.4	6	21	9,0	10,5	79	51	3.9	2
1207190006	6	5.5	8	25	12,58	13,0	94	64	8.7	2
1207190006X	6	5.5	10	28	12,58	13,2	105	64	13.2	10
1207190007	7	6.8	9	27	14,2	13,0	104	70	11.5	10
1207190007X	7	6.8	10	28	14,2	13,2	110	70	13.5	10
1207190008	8	8	10	30	16,0	14,5	124	83	17	2
1207190008X	8	8	12	36	16,0	16,5	141	83	23.5	10
1207190010	10	9.7	11	35	17,8	16,3	137	89	25	2
1207190010X	10	9.7	16	40	17,8	19,5	165	100	38	10
1207190012X	12	14.2	15	42	21,4	19,3	178	120	41	10
1207190012	12	11.4	15	40	20,0	19,3	156	105	41.5	2
1207190014	14	15.9	18	47	25,0	23,0	206	140	75.6	10
1207190016	16	19	20	53	28,0	26	232	160	102	10
1207190016	19	31	25	65	34,5	28,5	302	200	209	10
1207190022	22	42	30	70	40,4	33,0	348	230	314	10
1207190026	26	53	30	77	46,0	36,0	400	280	425	10

Blueprint

