

Aluminum Monobeam Spreaders PALF ALU

Product information



The PALF ALU aluminum monobeam spreader is a fixed or adjustable lifting spreader for handling loads with synthetic slings, cables or similar lifting accessories. It is designed for industrial lifting applications requiring articulated rotating hooks, tear-resistant eyelets and controlled hook positioning. Equipped with 2 articulated, rotating hooks with forged safety latches.

Best used for:

- Lifting operations requiring an aluminum monobeam spreader up to 3000 kg.
- Applications using synthetic slings, chain slings or wire rope assemblies.

Product benefits:

- Articulated rotating hooks improve load connection flexibility.
- Forged safety latches support secure hook engagement.
- Tear-resistant eyelets suit synthetic slings and cables.
- No structural welds and FEM 5 classification support demanding industrial use.
- Delivered with user's and maintenance manual and EC certificate of compliance ... [Read more](#)

Material: Aluminium

Marking: According to standard, CE-marked

Finish: RAL 9006

Standard: EN 13155

Aluminum Monobeam Spreaders PALF ALU

Technical data

Part code	WLL ton	Length m	Weight kg
6205PALFALU1251AC	0.125	1	16
6205PALFALU1252AC	0.125	2	22
6205PALFALU1253AC	0.125	3	29
6205PALFALU1254AC	0.125	4	35
6205PALFALU1255AC	0.125	5	42
6205PALFALU1256AC	0.125	6	48
6205PALFALU2501AC	0.25	1	16
6205PALFALU2502AC	0.25	2	22
6205PALFALU2503AC	0.25	3	29
6205PALFALU2504AC	0.25	4	35
6205PALFALU2505AC	0.25	5	42
6205PALFALU2506AC	0.25	6	61
6205PALFALU5001AC	0.5	1	16
6205PALFALU5002AC	0.5	2	22
6205PALFALU5003AC	0.5	3	36
6205PALFALU5004AC	0.5	4	44
6205PALFALU5005AC	0.5	5	53
6205PALFALU5006AC	0.5	6	74
6205PALFALU7501AC	0.75	1	16
6205PALFALU7502AC	0.75	2	27
6205PALFALU7503AC	0.75	3	36
6205PALFALU7504AC	0.75	4	52
6205PALFALU7505AC	0.75	5	83
6205PALFALU7506AC	0.75	6	97
6205PALFALU10001AC	1	1	21
6205PALFALU10002AC	1	2	31
6205PALFALU10003AC	1	3	42
6205PALFALU10004AC	1	4	68
6205PALFALU10005AC	1	5	83
6205PALFALU16001AC	1.6	1	21
6205PALFALU16002AC	1.6	2	31

Aluminum Monobeam Spreaders PALF ALU

Technical data

Part code	WLL ton	Length m	Weight kg
6205PALFALU16003AC	1.6	3	54
6205PALFALU20001AC	2	1	21
6205PALFALU20002AC	2	2	39