

H-bar Aluminium Fixed Spreader Beams PALHF ALU

Product information



The COMEGE PALHF ALU is an H-bar aluminium fixed spreader beam designed for lifting and distributing loads across four lifting points. Its lightweight aluminium construction and low headroom design make it suitable for industrial lifting operations where handling efficiency and load stability are important. The beam is designed for use with slings, wire rope assemblies, and other compatible lifting accessories. Equipped with 4 articulated, rotating hooks with forged safety latches.

Best used for:

- Multi-point lifting applications requiring stable load distribution.
- Operations where reduced beam weight and low headroom are beneficial.

Product benefits:

- Aluminium construction reduces handling weight during lifting operations.
- Four rotating articulated hooks support flexible load attachment.
- Forged safety latches help secure lifting accessories in use.
- Anti-tear lifting eyes suitable for synthetic slings and cables.
- No structural welds and FEM 5 classification support demanding industrial use.
- Delivered with user's and maintenance manual and EC certificate of compliance ... [Read more](#)

Material: Aluminium

Marking: CE-marked

Safety factor: 4:1

H-bar Aluminium Fixed Spreader Beams PALHF ALU

Technical data

Part code	WLL ton	Length m	Width m	Weight kg
6205PALHFALU12511AC	0.125	1	1	51
6205PALHFALU12521AC	0.125	2	1	58
6205PALHFALU12531AC	0.125	3	1	64
6205PALHFALU12541AC	0.125	4	1	71
6205PALHFALU12532AC	0.125	3	2	77
6205PALHFALU12542AC	0.125	4	2	84
6205PALHFALU25011AC	0.25	1	1	51
6205PALHFALU25021AC	0.25	2	1	58
6205PALHFALU25031AC	0.25	3	1	64
6205PALHFALU25041AC	0.25	4	1	71
6205PALHFALU25032AC	0.25	3	2	77
6205PALHFALU25042AC	0.25	4	2	84
6205PALHFALU50011AC	0.5	1	1	51
6205PALHFALU50021AC	0.5	2	1	58
6205PALHFALU50031AC	0.5	3	1	71
6205PALHFALU50041AC	0.5	4	1	79
6205PALHFALU50032AC	0.5	3	2	84
6205PALHFALU50042AC	0.5	4	2	92
6205PALHFALU75011AC	0.75	1	1	51
6205PALHFALU75021AC	0.75	2	1	62
6205PALHFALU75031AC	0.75	3	1	71
6205PALHFALU75032AC	0.75	3	2	84
6205PALHFALU75041AC	0.75	4	1	87
6205PALHFALU75042AC	0.75	4	2	100
6205PALHFALU100011AC	1	1	1	55
6205PALHFALU100021AC	1	2	1	66
6205PALHFALU100031AC	1	3	1	77
6205PALHFALU100032AC	1	3	2	90
6205PALHFALU100041AC	1	4	1	103
6205PALHFALU100042AC	1	4	2	116
6205PALHFALU160011AC	1.6	1	1	55

H-bar Aluminium Fixed Spreader Beams PALHF ALU

Technical data

Part code	WLL ton	Length m	Width m	Weight kg
6205PALHFALU160021AC	1.6	2	1	66
6205PALHFALU160031AC	1.6	3	1	88
6205PALHFALU160032AC	1.6	3	2	101
6205PALHFALU200011AC	2	1	1	64
6205PALHFALU200021AC	2	2	2	82