

H-bar Spreader Beam PALH

Product information



The PALH H-bar spreader beam is a fixed lifting beam designed for multi-point load handling where improved load stability and low headroom are required. Its H-bar configuration with four articulated lifting points helps distribute loads more evenly during lifting operations while supporting the use of synthetic slings, wire ropes, and similar lifting accessories.

Best used for:

- Lifting long, bulky, or unbalanced loads requiring four lifting points
- Industrial manufacturing, fabrication, logistics, and maintenance environments with restricted headroom

Product benefits

- Four articulated rotating hooks improve load positioning flexibility
- Forged safety latches help secure lifting attachments during handling
- Low headroom design supports lifting in space-restricted areas
- Tear-resistant eyelets accommodate slings, cables, and lifting assemblies
- Delivered with user's and maintenance manual and EC certificate of compliance [... Read more](#)

Material: Steel

Marking: According to standard, CE-marked

Finish: RAL 1028 yellow

Standard: EN 13155

H-bar Spreader Beam PALH

Technical data

Part code	WLL ton	Length m	Width m	Weight kg
6205PALH1T11AC	1	1	1	78
6205PALH1T21AC	1	2	1	105
6205PALH1T31AC	1	3	1	142
6205PALH1T41AC	1	4	1	168
6205PALH1T32AC	1	3	2	177
6205PALH1T42AC	1	4	2	203
6205PALH2T11AC	2	1	1	85
6205PALH2T21AC	2	2	1	118
6205PALH2T31AC	2	3	1	161
6205PALH2T32AC	2	3	2	211
6205PALH2T41AC	2	4	1	216
6205PALH2T42AC	2	4	2	266
6205PALH3T11AC	3	1	1	103
6205PALH3T21AC	3	2	1	141
6205PALH3T31AC	3	3	1	210
6205PALH3T41AC	3	4	1	281
6205PALH3T32AC	3	3	2	284
6205PALH3T42AC	3	4	2	355
6205PALH4T11AC	4	1	1	117
6205PALH4T21AC	4	2	1	167
6205PALH4T31AC	4	3	1	245
6205PALH4T32AC	4	3	2	311
6205PALH4T41AC	4	4	1	329
6205PALH4T42AC	4	4	2	395
6205PALH5T11AC	5	1	1	125
6205PALH5T21AC	5	2	1	182
6205PALH5T31AC	5	3	1	272
6205PALH5T32AC	5	3	2	360
6205PALH5T41AC	5	4	1	362
6205PALH5T42AC	5	4	2	450
6205PALH6T11AC	6	1	1	148

H-bar Spreader Beam PALH

Technical data

Part code	WLL ton	Length m	Width m	Weight kg
6205PALH6T21AC	6	2	1	219
6205PALH6T31AC	6	3	1	318
6205PALH6T32AC	6	3	2	394
6205PALH6T41AC	6	4	1	423
6205PALH6T42AC	6	4	2	500
6205PALH8T11AC	8	1	1	163
6205PALH8T21AC	8	2	1	246
6205PALH8T31AC	8	3	1	358
6205PALH8T32AC	8	3	2	457
6205PALH8T41AC	8	4	1	501
6205PALH8T42AC	8	4	2	600
6205PALH10T11AC	10	1	1	189
6205PALH10T21AC	10	2	1	280
6205PALH10T31AC	10	3	1	427
6205PALH10T41AC	10	4	1	519
6205PALH10T32AC	10	3	2	541
6205PALH10T42AC	10	4	2	633