Fixed ECO Lifting Beams PALECOF

Product information



The PALECOF Fixed ECO Lifting Beam is a fixed spreader beam designed for lifting loads from two lifting points while maintaining low headroom requirements. It is suited to general industrial handling applications where a simple, fixed hook spacing solution is required and where compliance with lifting equipment standards is essential.

Best used for:

- Routine industrial lifting with fixed load attachment points.
- Facilities requiring low-headroom lifting configurations.

Product benefits:

- Fixed beam design supports consistent lifting point positioning.
- Two articulated rotating hooks improve load connection flexibility.
- Forged safety latches help maintain secure hook engagement.
- Tear-resistant lifting eye suits slings, wire ropes and cables.
- Delivered with user's and maintenance manual and EC certificate of compliance

... Read more

Material: Steel
Marking: According to standard, CE-mark
Finish: RAL 1028 yellow
Standard: EN 13155


CERTEX Danmark A/S
info@certex.dk
+45 74 54 14 37

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

Fixed ECO Lifting Beams PALECOF

Blueprint



Technical data

Part code	WLL ton	Length m	LT mm	d mm	e mm	HPAC mm	HPSC mm	a mm	b mm	c mm	Ø drilling mm	Weight kg
6205PALECOF1T1AC	1	1	1,040	20	15	484	299	60	110	25	18	30
6205PALECOF1T1SC	1	1	1,040	20	15	484	299	60	110	25	18	30
6205PALECOF1T2AC	1	2	2,040	20	15	484	299	60	110	25	18	50
6205PALECOF1T3AC	1	3	3,040	20	15	484	299	60	110	25	18	70
6205PALECOF1T4AC	1	4	4,040	20	15	484	299	60	110	25	18	90
6205PALECOF1T5AC	1	5	5,040	20	15	532	347	60	110	25	18	164
6205PALECOF1T6AC	1	6	6,040	20	15	532	347	60	110	25	18	194
6205PALECOF2T1AC	2	1	1,040	20	15	484	299	60	110	25	18	30
6205PALECOF2T1SC	2	1	1,040	20	15	484	299	60	110	25	18	30
6205PALECOF2T2AC	2	2	2,040	20	15	484	299	60	110	25	18	50
6205PALECOF2T3AC	2	3	3,040	20	15	532	347	60	110	25	18	103
6205PALECOF2T4AC	2	4	4,040	20	15	532	347	60	110	25	18	134
6205PALECOF2T5AC	2	5	5,040	20	15	580	185	60	110	25	18	228
6205PALECOF2T6AC	2	6	6,040	20	15	580	185	60	110	25	18	270
6205PALECOF32T1AC	3.2	1	1,040	20	20	548	339	80	140	40	18	30
6205PALECOF32T2AC	3.2	2	2,040	20	20	596	387	80	140	40	18	50
6205PALECOF32T3AC	3.2	3	3,045	20	20	644	435	80	140	40	18	103
6205PALECOF32T4AC	3.2	4	4,040	20	20	644	435	80	140	40	18	134
6205PALECOF32T5AC	3.2	5	5,040	20	20	644	435	80	140	40	18	228
6205PALECOF32T6AC	3.2	6	6,040	20	20	654	445	80	140	40	18	270
6205PALECOF4T1AC	4	1	1,045	25	20	563	339	80	140	40	20	34
6205PALECOF4T2AC	4	2	2,045	25	20	611	390	80	140	40	20	78

CERTEX Danmark A/S
info@certex.dk
+45 74 54 14 37

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

Fixed ECO Lifting Beams PALECOF

Technical data

Part code	WLL ton	Length m	LT mm	d mm	e mm	HPAC mm	HPSC mm	a mm	b mm	c mm	Ø drilling mm	Weight kg
6205PALECOF4T3AC	4	3	3,045	25	20	679	458	80	140	40	20	151
6205PALECOF4T4AC	4	4	4,045	25	20	679	458	80	140	40	20	228
6205PALECOF4T5AC	4	5	5,045	25	20	679	458	80	140	40	20	279
6205PALECOF4T6AC	4	6	6,045	25	20	714	493	80	140	40	20	395
6205PALECOF5T1AC	5	1	1,045	25	25	696	430	100	180	50	20	54
6205PALECOF5T2AC	5	2	2,045	25	25	764	498	100	180	50	20	115
6205PALECOF5T3AC	5	3	3,045	25	25	764	498	100	180	50	20	157
6205PALECOF5T4AC	5	4	4,045	25	25	764	498	100	180	50	20	228
6205PALECOF5T5AC	5	5	5,045	25	25	799	533	100	180	50	20	340
6205PALECOF5T6AC	5	6	6,045	25	25	819	553	100	180	50	20	450
6205PALECOF63T1AC	6.3	1	1,050	30	25	710	430	100	180	50	24	56
6205PALECOF63T2AC	6.3	2	2,050	30	25	778	498	100	180	50	24	119
6205PALECOF63T3AC	6.3	3	3,050	30	25	798	518	100	180	50	24	190
6205PALECOF63T4AC	6.3	4	4,050	30	25	818	538	100	180	50	24	286
6205PALECOF63T5AC	6.3	5	5,050	30	25	838	558	100	180	50	24	387
6205PALECOF63T6AC	6.3	6	6,050	30	25	858	578	100	180	50	24	509
6205PALECOF8T1AC	8	1	1,050	30	35	824	518	100	180	50	24	95
6205PALECOF8T2AC	8	2	2,050	30	35	824	518	100	180	50	24	145
6205PALECOF8T3AC	8	3	3,050	30	35	844	538	100	180	50	24	232
6205PALECOF8T4AC	8	4	4,050	30	35	864	558	100	180	50	24	326
6205PALECOF8T5AC	8	5	5,050	30	35	884	578	100	180	50	24	440
6205PALECOF8T6AC	8	6	6,050	30	35	904	598	100	180	50	24	594
6205PALECOF10T1AC	10	1	1,055	35	35	843	531	100	180	50	26	101
6205PALECOF10T2AC	10	2	2,055	35	35	863	551	100	180	50	26	179
6205PALECOF10T3AC	10	3	3,055	35	35	883	571	100	180	50	26	267
6205PALECOF10T5AC	10	5	5,055	35	35	923	611	100	180	50	26	514

CERTEX Danmark A/S
info@certex.dk
+45 74 54 14 37

© November 2026 - All Rights Reserved